


WORK SPECIFICATIONS

SECTION D



- Ⓐ EXISTING GRASS AREA
- Ⓑ EXISTING GRAVEL PULL OFF AREA
- ① ITEM 209, LINEAR GRADING, AS PER PLAN
- ② ITEM 653, 2" TOPSOIL FURNISHED AND PLACED
- ③ ITEM 659, SEEDING AND MULCHING


NOTE: PULL OFF AREA PROFILE GRADE IS NOT TO BE CHANGED EXCEPT WHERE DIRECTED BY THE ENGINEER.

Pomeroy & Associates
 Consulting Engineers & Surveyors
 Ltd.

599 Scherers Court • Worthington, Ohio 43085
 Phone(614)885-2498 • Fax(614)885-2886

**REGRADE, SPREAD TOPSOIL,
 SEEDING & MULCHING
 DETAIL
 VILLAGE OF ASHVILLE
 ASHVILLE, OHIO**

| | |
|------------|----------|
| JOB NO. | 2343 |
| DRAWN BY | MJM |
| CHECKED BY | CMT |
| DATE | 27JUNE14 |



- Ⓐ EXISTING GRAVEL PULL OFF AREA OR GRASS AREA
- ① ITEM 209, LINEAR GRADING, AS PER PLAN
- ② ITEM 408, PRIME COAT @ 0.40 GAL/SY
- ③ ITEM 422, DOUBLE CHIP SEAL
 - A) SEAL COAT, RS-2 @ 0.45 GAL/SY
W/42.5 LBS/SY WASHED, CRUSHED, LIMESTONE #57 STONE
 - B) SEAL COAT, RS-2 @ 0.55 GAL/SY
W/22.5 LBS/SY WASHED, CRUSHED, LIMESTONE #8 STONE


NOTE: PULL OFF AREA PROFILE GRADE IS NOT TO BE CHANGED EXCEPT WHERE DIRECTED BY THE ENGINEER.

Pomeroy & Associates
Ltd.


Consulting Engineers & Surveyors
599 Scherers Court • Worthington, Ohio 43085
Phone(614)885-2498 • Fax(614)885-2886

DETAIL – CHIP SEAL
GRAVEL PULLOFF
VILLAGE OF ASHVILLE
ASHVILLE, OHIO

| | |
|------------|----------|
| JOB NO. | 2343 |
| DRAWN BY | MJM |
| CHECKED BY | CMT |
| DATE | 27JUNE14 |



- Ⓐ EXISTING PAVEMENT
- ① PAVEMENT OVERLAY (SEE DETAIL BELOW)
- ② ITEM 254, PAVEMENT PLANING, BITUMINOUS VARIABLE DEPTH FROM 0" TO 1"




- Ⓐ EX. ASPHALT PAVEMENT
- ①A 5/8" ~ ITEM 424, FINE GRADED POLYMER ASPHALT CONCRETE, TYPE A (5/8" THICK)
- ①B ITEM 204 GEOTEXTILE FABRIC - MIRAFI MPV500 NON-WOVEN OR EQUAL
- ①C ITEM 407, TACK COAT, AC-20 (0.25 GAL/SY)

Pomeroy & Associates
Consulting Engineers & Surveyors

599 Scherers Court • Worthington, Ohio 43085
 Phone(614)885-2498 • Fax(614)885-2886

**TYPICAL SECTION
 PAVEMENT OVERLAY
 VILLAGE OF ASHVILLE
 ASHVILLE, OHIO**

| | |
|------------|----------|
| JOB NO. | 2343 |
| DRAWN BY | MJM |
| CHECKED BY | CMT |
| DATE | 27JUNE14 |



1. ALL EDGES TO BE NEATLY SAWCUT & ITEM 407, TACK COAT, AC-20, APPLIED TO EXPOSED SURFACES PRIOR TO PLACEMENT OF NEW PAVEMENT.
2. BUTT JOINTS SHALL BE CREATED AT ALL ASPHALT & CONCRETE DRIVES. LENGTH OF BUTT JOINT AT THESE AREAS SHALL BE 1'±.
3. CONTRACTOR SHALL SAND AND SEAL ALL JOINTS BETWEEN THE EXISTING PAVEMENT AND NEW PAVEMENT PLACEMENT. ALL PAVEMENT OVERLAY AREAS SHALL HAVE BUTT JOINTS CONSTRUCTED PER DETAIL. COST OF THESE ITEMS SHALL BE INCLUDED IN VARIOUS RELATED BID ITEMS.

Pomeroy & Associates
 Consulting Engineers & Surveyors
 Ltd.

599 Scherers Court • Worthington, Ohio 43085
 Phone(614)885-2498 • Fax(614)885-2886

DETAIL
 BUTT JOINT
 VILLAGE OF ASHVILLE
 ASHVILLE, OHIO

| | |
|------------|----------|
| JOB NO. | 2343 |
| DRAWN BY | MJM |
| CHECKED BY | CMT |
| DATE | 27JUNE14 |