

**Required**



## **2023 Street Resurfacing Project**

**Prepared by:**

**Greg Sturgill  
Christopher M. Tebbe, P.E.  
Franklin Christman  
Ashville Service Department  
200 East Station Street  
Ashville, OH 43103  
Phone: (740) 983-6367**

**Nelson R. Embrey II, Mayor**

**APPENDIX A**  
**SITE EXHIBITS, WORKSHEETS**

**APPENDIX B**  
**SUB-SUMMARY, GENERAL**  
**SUMMARY AND BID TAB**

**APPENDIX C**  
**STANDARD DRAWINGS**

**APPENDIX D**  
**PREVAILING WAGE RATES**  
**PICKAWAY COUNTY, OHIO**

# APPENDIX A



P:\1000'S\1000 - ASHVILLE STREETS 2018\DWG\2023\1000\_2023 STREET PAVING.DWG,9/21/2023 2:12:31 PM, mmmccal



GRIGGS ST.

PROPOSED CONCRETE ALLEY APPROACH  
~ 502 SF (7" CONCRETE, BY OTHERS)


PROPOSED PAVEMENT REPLACEMENT  
~ 18,193 SF (2" MILL AND 3" OVERLAY)

PROPOSED CONCRETE ALLEY APPROACH  
~ 402 SF (7" CONCRETE, BY OTHERS)

GRIGGS ST.

PROPOSED CONCRETE ALLEY APPROACH  
~ 336 SF (7" CONCRETE, BY OTHERS)

OAK STREET



REVISION RECORD	
NO.	DATE

**TEBBE CIVIL ENGINEERING, LLC**  
 4700 Lakehurst Court, Suite 135  
 Dublin, Ohio 43016  
 Phone (614) 845-5885 • Chris@tebbeCivil.com

ASHVILLE STREET PAVING EXHIBIT  
**PROPOSED 2023 STREET PAVING**  
 GRIGGS STREET  
 VILLAGE OF ASHVILLE, OHIO

JOB NO.	1000
DRAWN BY	MJM
DESIGN BY	MJM
CHECKED BY	CMT

SHEET  
**1**  
 OF 1



VILLAGE OF ASHVILLE, OHIO  
2023 STREET RESURFACING PROJECT

STREET: GRIGGS STREET SITE: 1  
 IMPROVEMENTS: GRIGGS STREET MILL & OVERLAY  
 WORK LIMITS: FROM: CROMLEY STREET BEGIN: \_\_\_\_\_  
 TO: LEXINGTON AVENUE END: \_\_\_\_\_

PAVEMENT WIDTH (MIN): 16.0 LF Pavement Planing: 18198 SF BASE BID  
 PAVEMENT WIDTH (MAX): 21.0 LF  
 PAVEMENT LENGTH: 1240 LF

PROJECT AREA: 2022 SY  
 (MINUS CONNECTING INTERSECTIONS)

CONNECTING STREETS TO BE RESURFACED: \_\_\_\_\_ SY  
 \_\_\_\_\_ SY  
 \_\_\_\_\_ SY  
 \_\_\_\_\_ SY  
 \_\_\_\_\_ SY  
 TOTAL: 0 SY

COMMENTS: SEE GRIGGS STREET PAVING EXHIBIT FOR EXACT PAVING LOCATIONS.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

PAVEMENT DATA:

	ESTIMATED	COMMENTS:	ACTUAL
ITEM 204, SUBGRADE COMPACTION	<u>0.0</u> SY		
ITEM 254, PAVEMENT PLANING, BITUMINOUS 2"	<u>2022.0</u> SY		
ITEM 304, 6" AGGREGATE BASE	<u>0.0</u> CY		
ITEM 407, TACK COAT	<u>506.0</u> GAL	<u>0.25</u> GAL/SY	
ITEM 411, 3" AGGREGATE BASE BERM	<u>0.0</u> CY		
ITEM 448, ASPHALT CONCRETE, SURFACE TYPE 1	<u>84.3</u> CY	<u>1-1/2"</u> THICK	
ITEM 448, ASPHALT CONCRETE, INTERMEDIATE TYPE 1	<u>84.3</u> CY	<u>1-1/2"</u> THICK	

ADDITIONAL ITEMS:

CONCRETE WALK	<u>0</u> SF		
CONCRETE REMOVED	<u>0</u> SY		
GRAVEL REMOVED	<u>0</u> SY		
COMBINATION CURB & GUTTER	<u>0</u> LF		

ITEM 604, MANHOLE ADJUSTED TO GRADE

ESTIMATED	
NUMBER OF MANHOLES	STATION
<u>0</u>	

ITEM 604, MANHOLE ADJUSTED TO GRADE 0 EACH

ACTUAL	
NUMBER OF MANHOLES	STATION

ITEM 604, MANHOLE ADJUSTED TO GRADE \_\_\_\_\_ EACH

ITEM 604, CATCH BASIN ADJUSTED TO GRADE

ESTIMATED	
NUMBER OF CATCH BASINS	STATION
<u>0</u>	

ITEM 604, CATCH BASIN ADJUSTED TO GRADE 0 EACH

ACTUAL	
NUMBER OF CATCH BASINS	STATION

ITEM 604, CATCH BASIN ADJUSTED TO GRADE \_\_\_\_\_ EACH

ITEM 807, VALVE BOX ADJUSTED TO GRADE

ESTIMATED	
NUMBER OF VALVE BOXES	STATION
<u>0</u>	

ITEM 807, VALVE BOX ADJUSTED TO GRADE 0 EACH

ACTUAL	
NUMBER OF VALVE BOXES	STATION

ITEM 807, VALVE BOX ADJUSTED TO GRADE \_\_\_\_\_ EACH

\* REFERS TO OHIO DEPARTMENT OF TRANSPORTATION CONSTRUCTION AND MATERIAL SPECIFICATIONS